



Index

Overview

The index is broken into two parts: an index of topics, and an index of drugs and therapies. The Index of Topics begins on page 627 and the Index of Drugs and Therapies begins on page 637.

At a Glance

Index of Topics

Index of Drugs and
Therapies



Table of Contents

Index of Topics	627
Index of Drugs and Therapies.....	637

Index of Topics

See page 637 for Index of Drugs and Therapies

A

absorption (of drugs), 158
 acceptability of care, 21
 access to care, 21
 accountability
 donor funds, 450
 and drug availability, 483
 in partnerships, 495
 active listening, 213
 acute inflammatory demyelinating polyneuropathy, 151
 acute toxic neuropathy, 150
 addiction myth, 57
 adherence, 190
 adolescents, 325, 400
 advance directives, 318
 adverse drug reactions
 monitoring and reporting, 477–478
 pharmacological principles, 157
 advocacy
 for drug policy, 479
 by nurses, 352
 by palliative care associations, 551
 for patient rights, 148–149
 for patients, 216
 support for communities, 428
 affordability, of medications, 487
 African Palliative Care Association (APCA), 555
 AIDS and HIV Charter of the National Association of People with AIDS of South Africa, 311–312
 airway compression, 83
 airway obstruction, 90–91
 ancestors (role of), 245
 angular cheilitis, 114
 anorectal disease, 102
 anorexia, 375
 anticipatory grief
 described, 251–252
 preparation for, 202
 anxiety, 81
 aphthous ulcers, 117–118
 appetite loss
 dietary advice, 69
 nutritional needs, 278
 approaches to healing, 5
 armed forces members, 331–332
 aromatherapy, 264

ART

adherence, 173
 criteria for commencing in children, 393
 criteria for stopping, 149, 396
 drug interactions table, 609–623
 pharmacology overview, 166
 pharmacology quirks, 173
 provider competence, 187
 regimen choices, 167
 South African recommendations, 171
 treatment guidelines, 172
 tuberculosis treatment interaction, 175–176, 396
 why patients die anyway, 184
 art therapy, 265, 404
 assessment, in nursing care, 350
 assessment process, 36–38
 auditing, 524–525
 autonomy, 314–315

B

beneficence, 315–316
 benefits (obtaining), 338
 bereavement. *see* grief
 bloatedness, 279
 body image, 302
 breaking bad news, 216
 breakthrough pain, 55
 breastfeeding, 163, 581
 bronchiectasis, 379–380
 bronchospasm
 and cough, 85
 treatment, 83
 bureaucracy, 338
 burnout
 of caregivers, 292–295
 of nurses, 354
 prevention, 462

C

cachexia, 272
 candidiasis (oesophageal), 88
 candidiasis (oral), 114–115
 Cape Town, Declaration of, 513, 556
 carbohydrates, 276

- care providers**
 - complementary care, advice concerning, 264
 - nutritional issues, 283
 - scarcity, 347
- caregiving**
 - challenges of, 290–291
 - rewards of, 289
- carer burden, 292**
- caring, for caregivers**
 - in community-based settings, 462
 - principles, 293–295
- chest pain, 87**
- chicken pox, 384**
- child-headed households, 426**
- children**
 - challenges of, affected by HIV/AIDS, 399–400
 - challenges of, infected with HIV/AIDS, 400
 - communication with, 401–403
 - drug prescribing for, 162
 - emotional care therapies, 404–405
 - end-of-life care, 431–438
 - grief in, 253, 411–416
 - management of clinical symptoms, 371–390
 - principles of clinical management, 373
 - pain in, 46, 373
 - palliative care constraints, 360
 - rights of, 406
 - withdrawal of therapy, 437
- chronic inflammatory demyelinating polyneuropathy, 151**
- circles of support, 423**
- clinical audits, 524–525**
- clinical placement, 509**
- collaboration**
 - defined, 493
 - rationale, 494
- colour therapy, 264**
- commitment, 495**
- communication**
 - about grief, with children, 415
 - about sexuality, 304
 - across cultural differences, 246
 - elements of, 209–210
 - non-verbal, 247
 - in nursing care, 350
 - participants in, 209
 - in partnerships, 495
 - skills, 212
 - spiritual care, 238
 - subtexts in, 210–211
 - techniques, 213
- community-based care**
 - components, 461–464
 - importance of, 453
 - startup, 454
- community support**
 - guidelines, 423
 - importance, 367
 - interventions for, 422
- complementary care**
 - defined, 263
 - described, 5
- condoms, use of, 301**
- conferences (family)**
 - about grief, 415
 - steps in, 215
- confidentiality**
 - about prisoners, 330
 - right to, 311
- confusion, 153**
- congestive heart failure, 83**
- constipation**
 - management, 101
 - nutritional needs, 278
- continuum of care**
 - in communities, 455–457
 - for patients, 444
- cooling (of medications), 395**
- cor pulmonale, 379–380**
- cost-effectiveness, 522**
- cough**
 - management in adults, 84–86
 - management in children, 276–277
- counselling**
 - of children, 363, 401
 - ethical guidelines, 315, 316
 - in nursing care, 350
 - on sexuality, 299
- creatinine clearance, 582**
- cultural differences. see also traditional medicine**
 - assessment difficulty, 31
 - and grief experience, 254
 - nutritional issues, 282
 - psychological effects, 147
 - spiritual care, 244

Index of Topics *continued*

- cultural sensitivity, 352
cutaneous drug reactions, 143
cytomegalovirus, 98
- D**
- dance therapy, 265
day care, 459
death
 imminent, signs of, 199
 preparation for, 200–201
 recognition of, 204
death (acceptance of)
 in children, 434, 436
 spiritual care, 241
decision making, 314–319
Declaration of Cape Town, 513, 556
Declaration of Commitment on HIV/AIDS, 421
decubitus ulcers, 138–139
delirium
 management, 153
 management in children, 385
dementia, 153
dental caries, 113
dentures, 109
depression, 154
developmental delay, 387
diagnosis
 of children, 362–364
 competence in, 185
 strategies, 36–37
diagnostic errors, 37
diarrhoea
 assessment, 98
 dietary advice, 69
 management in adults, 99–100
 management in children, 381–383
 nutritional needs, 278
diffuse infiltrative lymphocytosis syndrome, 150
disclosure
 about death, 200, 216
 to children, 403
 and grief experience, 254
discrimination, 406
disease characteristics
 spiritual care, 238
 understanding of, 245
dispensing, of medications, 486
displaced persons, 328–329
distal sensory polyneuropathy, 150
distribution (of drugs), 159
district care teams, 458
drama (therapy), 405
drug administration routes, 164–165
drug availability
 barriers, 473–474
 cost considerations, 487–488
 issues in, 21
 procurement, 485–486
 public policy, 468, 479–481
 regulation of, 482, 484
 service provision constraint, 442
drug interactions, 22
drug resistance, 477–478
dry mouth, 112
dry skin, 129
dying, 236
dysphagia, 97
dyspnoea
 management in adults, 81–84
 management in children, 376–377
- E**
- ear infections, 381
eccentric dosing, 174
ecthyma, 137
eczema, 132
education. *see also* training
 burnout prevention, 293
 by palliative care associations, 549
 of parents, 402
 right to, 311
educational support, 428
elderly patients, 325
emotional support
 for caregivers, 290
 described, 424
 needs described, 337
employment, 312
empowerment
 burnout prevention, 293
 preparation for death, 201
encephalopathy, 387–388

end-of-life care
care provision, 246
children, 431–438
communication about, 214
preparing patients and families, 200–201

enzyme induction, 160

erythematous candidiasis, 114

essential medicines list (EML)
need for, 475
table, 579–606
public policy, 476

euthanasia, 319

excoriation, 141

F

faith-based organisations, 459–460

family members
child's emotional needs, 402
end-of-life care, 200, 433
training rationale, 506

family support, 422

fatigue
management in adults, 71
management in children, 376

fats and oils, 276

fever, 72

fiber (dietary), 276

financial needs
described, 337
maintaining independence, 339–341

fluid intake, 275

food assistance, 425

food groups, 276

food security, 280

funding sources
donor objectives, 449–450
and hospice organizations, 543
and monitoring and evaluation, 521

fungal infections (skin), 131

fungating tumours, 140

futile treatment, 317

G

gastric reflux, 87

gender
nutritional issues, 281–283
and sexuality, 300

gingivitis, necrotising ulcerative, 121

goals
of partnerships, 495
preparation for death, 200

grant writing, 543

grants, 425

grief
in children, 411–416
complications, 416
expressions of, 414
process influences, 253–255
stages of, 256–258
terms for, 251

guardianship, 426

Guillain-Barré syndrome, 151

H

haemoptysis, 89–90

“happy death,” 236

headaches, 149–150

health care workers
challenges as caregivers, 291
role expansion, 29
training rationale, 505–506

health promotion, 352, 353

heartburn, 279

hepatic metabolism (of drugs), 159–161

herbal medicine
common plants table, 224
defined, 221
pharmacological principles, 157

herpes simplex, 119, 136

herpes zoster (shingles), 135, 151, 384

hiccup, 87–88

HIV/AIDS
and child development, 368–369
clinical management, in children, 365–366
diagnosis in children, 362–364
epidemiology in children, 359
epidemiology in SSA, 11
global impact, 421
life cycle of virus, 166
and nutritional status, 271–273
respiratory manifestations, 77
staging system, WHO, 39–40

HIV/AIDS insurance, 342

home-based care, 399

Index of Topics *continued*

- home care teams, 457
 "home" (concept of), 245
 homeless persons, 326–327
 homeopathy, 267
 homosexuals, 323
 Hospice and Palliative Care Association of South Africa (HPCA), 554
 hospice care, 459
 hospice organizations
 list of, 559–561
 management of, 543–544
 startup, 537–539
 structure of, 539–542
 hospital-based care teams, 458
 household management, 426
 Human Development Index, 280
 human rights, 311–312
 hyperplastic candidiasis, 114
- I**
 immune reconstitution syndrome, 193
 immunisation recommendations, 192–193
 impetigo, 137
 importation, of medications, 485, 487–488
 indicators of care, 527–528, 530
 informed consent, 315
 insurance, 312
 integrated community-based care, 460–461
 Integrated Management of Childhood Illness, 361
 integrated model of palliative care
 core competencies, 185–187
 described, 181
 intellectual property rights, 487–488
 internally displaced persons, 328–329
 International Narcotics Control Board, 482
 interpreters, 211
 interviews, 215
- J**
 job descriptions, 541
 joint ventures, 493
 justice, 317
- K**
 Kaposi's sarcoma
 oral, 123
 pulmonary, 81
 skin, 134
- L**
 "Lazarus phenomenon," 199
 legal issues, 343
 life expectancy, 442
 life insurance, 342
 life review, 252
 life stories (as therapy), 405
 life-threatening events, 188
 linear gingival erythema, 120
 lymphoid interstitial pneumonitis, 379
- M**
 malnutrition
 contributing factors, 68
 in HIV patients, 271–273
 manufacturing, of medications, 486
 massage therapy, 266
 medication safety, 395
 memory work
 and anticipatory grief, 252
 described, 405
 grief recovery, 414
 meningitis, 149, 386
 mentorship, 510
 metabolism (of drugs), 159
 micronutrients, 276, 277
 migraines, 149
 military personnel, care, 331–332
 mineral intake, 276
 molluscum contagiosum, 133
 monitoring and evaluation
 of ART in children, 394–395
 challenges, 531
 defined, 519
 frameworks, 522–526
 of hospice organizations, 544
 in partnerships, 496
 process, 529
 public policy toward, 469
 rationale for, 520
 tools for, 527–528
 of training programs, 510
 mononeuritis multiplex, 151
 mouth care, 109
 mouth sores, 69
 music therapy, 265, 405
 Muslim patients, 243

N

narrative therapy, 405

nausea

- dietary advice, 69
- management, 95–96
- nutritional needs, 279

necrotising ulcerative gingivitis, 121

necrotising ulcerative periodontitis, 122

networking

- and community-based care, 463
- grief support, 258
- and palliative care associations, 550

neurological deficits

- assessment, 147
- management in adults, 148–149
- management in children, 387

neuropathic pain

- defined, 48
- management principles, 61

nociceptive pain, 48

non-Hodgkin's lymphoma, 124

non-maleficence, 315–316

nurses, 347

nursing

- challenges to care, 354
- components, and palliative care, 349–353
- principles, and palliative care, 348

nutrition, 274–275

nutritional supplements, 277

O

odynophagia, 97

oesophagitis, 97

openness

- toward children, 436
- toward patients, 406

opportunistic infections

- and malnutrition, 271
- prophylaxis, in children, 366
- treatment benefits, 200

oral hairy leukoplakia, 116

organograms, 540

orphans

- among displaced persons, 328
- and community-based care, 463
- placement services, 426–427
- support for, 416

otitis media, 381

outreach teams, 458

overload

- and grief experience, 255
- of nurses, 354

P

pain

- acute vs. chronic, 47
- assessment, 49–50
- causes, 49
- in children, 46
- measurement, 50–51
- syndromes, 45
- types of, 46
- in women, 45

pain management

- in children, 373–374
- decubitus ulcers, 138–139
- non-pharmacological, 52–53
- oral pain, 110–111
- pharmacological, 53–60
- in substance abusers, 333

palliative care

- approach toward children, 367
- assessments at visits, 30
- communication about, 214
- continuum of care, 15–16
- defined, 17
- described, 13–14
- education resources, 566–567
- funding sources, 564
- growth under HIV/AIDS, 18–19
- information resources, 570–578
- integrated model of care, 181
- integration rationale, 183
- integration with ART, 393
- intervention types, 5
- issues in, 21–22
- and national drug policy, 479
- organizations, 559–561
- professional training, 567–569
- resource allocation, 443–444
- restraints on implementation, 360–361, 445–448
- role in ART era, 19–20

Index of Topics *continued*

- role of HIV therapies, 182
 - service provision constraints, 441–443
 - switch from restorative care, 191–192
 - Palliative Care Association of Uganda (PCAU), 554–555**
 - palliative care associations**
 - examples, 554–556
 - role of, 549–551
 - setting up, 553
 - values of, 552
 - Palliative Performance Scale Version 2, 35**
 - papular pruritic eruptions, 129–130**
 - participatory framework, 523–524**
 - partnerships**
 - benefits of, 498–499
 - case study, 497
 - defined, 493
 - developing, 501
 - elements of, 495–497
 - future of, 500
 - rationale, 494
 - pastoral counselling, 238**
 - patents, 487–488**
 - patient assessment**
 - clinical progress, 38–40
 - process, 36–38
 - purpose, 33–35
 - strategies, 32
 - subjectivity, 31
 - PCP**
 - management in adults, 79–80
 - management in children, 377–378
 - prophylaxis, in children, 366
 - treatment, 83
 - perinatal infection, 361**
 - periodontitis, necrotising ulcerative, 122**
 - peripheral neuropathy, 150**
 - personality traits, 255**
 - pet therapy, 264**
 - pharmacokinetics, 157**
 - physical domain, 30**
 - physical support, 425**
 - play therapy, 265, 404**
 - pleural effusions, 81, 83**
 - pneumonia**
 - management in adults, 80
 - management in children, 377–378
 - treatment, 83
 - post-exposure prophylaxis, 192**
 - poverty**
 - and community-based care, 463
 - and malnutrition, 271
 - nutritional issues, 281
 - service provision constraint, 442
 - power imbalance, 211**
 - prayer, 267**
 - pregnancy, 163**
 - pregnancy categories, FDA, 582**
 - prescribing, of medications, 486**
 - prescribing rights, 351**
 - prisoners**
 - barriers to care, 329–331
 - rights of, 312
 - prognosis, 34**
 - proteins, 276**
 - provider availability, 442**
 - pseudomembranous candidiasis, 114**
 - psycho-neuro-immunology, 267**
 - psychogenic pain, 48**
 - psychological distress, 52**
 - psychosocial domain, 30**
 - psychosocial issues, 148**
 - psychosocial support**
 - after treatment failure, 191
 - process, 424–428
 - public, members of, 506**
 - public assistance, 338**
 - public policy**
 - drug availability, 474, 479–481
 - foundation measures, 467
 - scope of care, 467
 - service provision constraints, 441
 - support for palliative care, 468–470
 - toward collaboration, 499
 - pulmonary embolism, 83**
 - pulmonary secretions, 86**
- Q**
- qualitative approach, 527–528**
 - quality control, 485**
 - quality improvement framework, 525–526**
 - quantitative approach, 527–528**
 - questioning, 213**

R

recordkeeping, 542
reflexology, 266
refugees, 328–329
rehydration fluids, 99, 382
Reiki therapy, 266
religious beliefs, 238, 254
religious leaders, 331–332
renal impairment, 582
renal metabolism (of drugs), 161–162
resilience, 424
respiratory depression myth, 57
results-based framework, 523
rituals, 259
roadside clinics, 458
role definition
 for caregivers, 290
 of nurses, 354
roughage, 276

S

scabies, 130
seborrheic eczema, 132
seizures
 management, 152
 management in children, 385
self-image, 302
service delivery
 community-based methods, 457–461
 family support, 422
sexuality
 care provision, 246
 communication about, 304
 counselling on, 299
 gratification methods, 306–307
 health professional preparation, 299
 needs assessment, 303, 304–305
 patient needs, 301–302
 power imbalances, 313–314
 rights regarding, 312
 skills transference, 461–462
 skin care, 127–128
 skin colour, 142
 skin problems, 384
 sleep disturbance, 376

social support
 for bereaved, 258–259
 burnout prevention, 293–294
 described, 426–427
social welfare, 339–341
space-occupying lesions, 149
spiritual care
 for children, 403
 common aspects, 242
 pain management, 53
 principles, 237
 tasks of, 238–243
spiritual domain, 30
spiritual support, 428
spirituality
 African characteristics, 236
 defined, 235
staging of disease, 38–39, 185–186
standards
 public policy toward, 470
 setting of, 550
steering committees, 538–539
Stevens-Johnson syndrome, 143
stigma
 and anticipatory grief, 251–252
 and grief experience, 253
 and special populations, 323
storage, of medications, 486
storytelling (as therapy), 405
street children, 326–327
sub-Saharan Africa, 3
substance abusers
 barriers to care, 333
 pain management, 62
sugars, 276
supervision
 burnout prevention, 293–294
 for community-based caregivers, 462
 for nurses, 351
 in training programs, 510
sweats, 72
symptom management
 at end of life, 203
 end-of-life care, in children, 435
 pharmacological principles, 157–165
 principles, 373

Index of Topics *continued*

symptoms
and grief experience, 253
overview, 11–13

T

taboo topics, 216

taste loss, 279

teamwork

in hospice organizations, 542
in nursing care, 350

testing (HIV)

ethical guidelines, 315
rights, 311

therapeutic relationship, 34

therapeutic touch, 266

tolerance, of drugs, 57

total pain concept, 46–47

toxic epidermal necrolysis, 143

traditional healers

defined, 221
role formalisation, 226–227
role in care, 224
training rationale, 506

traditional medicine

case examples, 223
and community-based care, 464
defined, 221–222, 263
described, 5
pharmacological principles, 157
when cultures collide, 228

training. *see also* **education**

for community-based caregivers, 461
curriculum, 507
future of, 512
models, 508–509
monitoring and evaluation, 510
for nurses, 351, 354
public policy toward, 469
receivers of, 505–506
regional challenges, 511
of traditional healers, 224

translation

and care provision, 246
communication barrier, 211

treatment guidelines

and national policy, 481
risk vs. benefit, 200

treatment failure, 191

treatment plan, 33

TRIPS (trade-related aspects of intellectual property rights), 487–488

truth. *see* **openness**

tuberculosis

among displaced persons, 328
and ART, in children, 396
ART interaction, 175–176
management in adults, 77–79
management in children, 378–379
prophylaxis, in children, 366
treatment, 83

twinning, 493

U

Ubuntu, 236

ulcers (aphthous), 117–118

ulcers (decubitus), 138–139

unemployment insurance, 341

United Nations Social Security Fund, 340

V

varicella zoster (shingles), 384

vitamin intake, 276

voluntary caregivers, 506

volunteers, 463

vomiting

dietary advice, 69
management, 95–96

vulnerability, 313

W

warts, 133

wasting

assessment, 67
management in children, 375
types of, 272

weakness

management, 151
nutritional needs, 279

weight loss

assessment, 67
management, 68–70

Western medicine

defined, 263
described, 5

Index of Topics *continued*

WHO clinical staging
for infants and children, 364
nutritional needs, 273

WHO Pain Ladder, 54

wills, 343

Wong-Baker FACES Pain Rating Scale, 51

X

xerosis, 129

xerostomia, 112

Y

yeast infections (skin), 131

Index of Drugs and Therapies

See page 627 for Index of Topics

A

abacavir, 169, 602
 aciclovir, 583
 adrenaline. *see* epinephrine
 albendazole, 597
 amoxicillin, 597
 ampicillin, 597
 amprenavir, 619–620
 analgesics
 herbal substitutes, 222
 principles of use, 54–55
 topical preparations, 111
 antibiotics, 222
 anticonvulsants, 59
 antidepressants, 59
 antidiarrhoeals
 herbal substitutes, 222
 infectious agents table, 100
 antiemetics
 dosage guidelines, 96
 herbal substitutes, 222
 antipyretics, 222
 antiretroviral therapy, 480
 antivirals, 222
 APV. *see* amprenavir
 aqueous cream, 584
 artemether + lumefantrine, 601
 ascorbic acid, 584
 atazanavir
 characteristics table, 604
 interactions table, 622–623
 ATV. *see* atazanavir
 azithromycin, 598
 AZT. *see* zidovudine

B

baclofen, 584
 barbiturates, 91
 benzodiazepines
 airway obstruction management, 90–91
 dyspnoea relief, 82
 haemoptysis management, 90
 benzyl benzoate, 584
 benzydamine mouthwash, 584
 benzylpenicillin, 597
 betamethasone, 584

C

calamine lotion, 584
 carbamazepine, 584
 chloramphenamine, 585
 chloramphenicol, 585, 598
 chlorhexidine mouthwash, 585
 chloroquine, 601
 chlorpromazine, 585
 cholestyramine, 586
 cimetidine, 585
 cinnamon, 85
 ciprofloxacin, 598
 clofazimine, 599
 cloxacillin, 598
 co-amoxiclav (amoxicillin + clavulanic acid), 597
 co-trimoxazole (sulfamethoxazole + trimethoprim), 599
 codeine
 characteristics table, 586
 cough management, 85
 guidelines, 54–55
 corticosteroids
 adjuvant analgesics, 58, 60
 airway obstruction management, 90
 dyspnoea relief, 82
 in pain management, 60
 symptom control, 70
 topical preparations, 111
 cyclizine, 96

D

dapsone, 599
ddC. *see* zalcitabine
ddl. *see* didanosine
delavirdine, 612–613
dexamethasone, 586
diazepam, 587
diclofenac, 587
didanosine
 characteristics table, 169, 602
 interactions table, 609–610
 properties table, 189
digoxin, 587
DLV. *see* delavirdine
docusate sodium, 588
doxycycline, 598
d4T. *see* stavudine

E

efavirenz
 characteristics table, 170, 603
 interactions table, 613–614
 properties table, 189
EFV. *see* efavirenz
emtricitabine
 characteristics table, 602
 interactions table, 611
enfuvirtide, 623
epinephrine, 588
erythromycin, 598
ethambutol, 600

F

ferrous salt, 588
fluconazole, 588
frangipani milk, 135
FTC. *see* emtricitabine
furosemide, 588

G

gabapentin, 588
gentamicin, 589
gentian violet, 115
ginger, 85
glycerin, 589

H

haloperidol
 characteristics table, 589
 usage guidelines, 96
herbal medicines, 222
honey, 85
hydrocortisone, 589
hyoscine butylbromide, 589

I

ibuprofen, 590
IDV. *see* indinavir
immunomodulators, 222
indinavir
 characteristics table, 170, 604
 interactions table, 614–615
injectable preparations, 158
isoniazid, 600
itraconazole, 590

K

KY jelly, 590

L

lamivudine
 characteristics table, 169, 602
 interactions table, 611
 properties table, 189
laxatives, 101
lidocaine
 characteristics table, 590
 cough management, 85
loperamide, 590
lopinavir + ritonavir
 characteristics table, 170, 604
 interactions table, 621–622
 properties table, 189
lorazepam, 590
LPV/r. *see* lopinavir + ritonavir
lumefantrine, + artemether, 601

Index of Drugs and Therapies *continued***M**

- magnesium hydroxide, 590
- mebendazole, 597
- methadone, 591
- metoclopramide
 - characteristics table, 591
 - usage guidelines, 96
- metronidazole, 591, 599
- miconazole cream, 591
- midazolam, 592
- "miracle paint," 111
- morphine
 - characteristics table, 592
 - dyspnoea relief, 84
 - guidelines, 55
 - myths about, 57
 - side effects, 56

N

- nelfinavir
 - characteristics table, 170, 604
 - interactions table, 618–619
- nevirapine
 - characteristics table, 170, 603
 - interactions table, 611–612
 - properties table, 189
- NFV. *see* nelfinavir
- nifedipine, 592
- NMDA receptor blockers, 60
- non-nucleoside reverse transcriptase inhibitors (NNRTIs)
 - overview, 169–170
 - rifampicin interactions, 176
- nonsteroidal anti-inflammatory drugs (NSAIDs)
 - in pain management, 58
 - topical preparations, 111
- nucleoside reverse transcriptase inhibitors (NRTIs), 168–169
- NVP. *see* nevirapine
- nystatin, 593

O

- opioids
 - airway obstruction management, 90
 - cough management, 85
 - dyspnoea relief, 82
- oral preparations
 - absorption mechanics, 158
 - administration, 164–165
- oxygen, 82

P

- paracetamol, 593
- parenteral preparations, 165
- paromomycin, 599
- petroleum jelly, 593
- phenobarbital
 - airway obstruction management, 91
 - characteristics table, 593
- phenoxymethylpenicillin, 598
- phenytoin, 594
- potassium iodide, 594
- praziquantel, 597
- prednisolone, 594
- primaquine, 601
- promethazine, 595
- protease inhibitors (PIs)
 - overview, 169–170
 - rifampicin interactions, 176
- pyrazinamide, 600
- pyridoxine, 595
- pyrimethamine, 599

Q

- quinine, 601

R

- ranitidine, 595
- rifampicin
 - ART interactions, 176
 - characteristics table, 600
- ritonavir
 - characteristics table, 170, 604
 - interactions table, 616–617
- RTV. *see* ritonavir

S

- salbutamol, 595
- saquinavir
 - characteristics table, 170, 604
 - interactions table, 615–616
- sedatives, 222
- senna, 595
- silver sulfadiazine, 595
- spironolactone, 595
- SQV. *see* saquinavir
- stavudine
 - characteristics table, 169, 603
 - interactions table, 610
 - properties table, 189
- streptomycin, 600

T

- 3TC. *see* lamivudine
- TDF. *see* tenofovir
- tenofovir
 - characteristics table, 603
 - interactions table, 611
 - properties table, 189
- tetracycline, 596
- thalidomide, 596
- topical preparations
 - absorption mechanics, 158
 - administration, 165
- trimethoprim, 599

V

- valproic acid/valproate, 596
- vancomycin, 599
- vincristine, 596

Z

- zalcitabine
 - characteristics table, 169, 603
 - interactions table, 610
- zidovudine
 - characteristics table, 169, 603
 - interactions table, 609
 - properties table, 189
- zinc/castor oil, 596